

Geami WrapPak® M

Low volume wrapping solution

Small footprint unit:
Manual Edge

NEW



ABOUT THE SOLUTION

Geami WrapPak is the combination of a patented die cut kraft paper with a tissue interleaf.

The Geami WrapPak M expands the die cut paper into a 3D honeycomb structure. In combination with the tissue interleaf, it provides a unique wrapping product.

- + Excellent surface protection and great unboxing experience
- + **Both standard and heavy duty paper configurations available**
- + Simple and easy packaging solution
- + No need for electricity
- + No need for tape due to interlocking paper structure

NEW




PACKAGING NEEDS

The Geami WrapPak M is ideal in lower volume packaging environments. It can be placed anywhere without the need for electricity. In e-commerce environments where the main goal is to maximize ease of use while offering customers an attractive unboxing experience, Geami WrapPak is the perfect solution.

NEW

FRAGILE PRODUCTS TO WRAP? Use the new **HD** die-cut paper with improved performance

Besides the standard die-cut kraft paper, a heavy duty (HD) die-cut kraft paper is now available to work in conjunction with the Geami WrapPak M and Geami WrapPak M Edge. HD die-cut paper distinguishes itself by the large honeycomb cells. The cells have twice the size of the standard die-cut paper cells resulting in improved protective performance. With its robust and voluminous look and feel, it is very suitable for wrapping fragile and flat surface items within industrial segments as well as general purpose items in miscellaneous industries.



1. Improved protective performance
2. Cost efficient solution
3. Green replacement for 1/2" bubble

SPECIFICATIONS

Converter	Manual	Manual Edge
Dimensions (wxhxd)	28" x 20" x 13"	28" x 11" x 28"
Weight	25 lbs.	22 lbs.
Power	non-electrical unit	non-electrical unit
Cut method	manual tearing	manual tearing

Paper	Die cut	Interleaf
Paper Type	Standard HD	N/A
Length	1,000 ft	3,360 ft.
Width	20"	12"
Basis weight	50#	15#
Color of paper	Brown or white (STD Only)	White*


* Also available in a selected range of colors

Pallet	Die cut	Interleaf	Combined
Pallet weight	1,165 lbs.	1,025 513 lbs.	1,445 lbs.
Rolls per pallet	40	240 80	20 DC 10 IL
Pallet dimensions	48 x 40	48 x 40	48 x 40

Geami WrapPak[®] M **EDGE**

DO YOU HAVE SPACE CONSTRAINTS?

The Geami WrapPak M Edge is part of the manual product line that is a great solution for pack stations with limited space. The unit can be placed at the back end (edge) of the packing station, keeping the work area free for other activities. Both standard and HD paper can be used in conjunction with the Geami WrapPak M Edge.



NEW

Geami WrapPak[®] M

**Упаковочные решения для компаний
с небольшим объемом операций**



Эффектный внешний вид

Оригинальный вид
упакованного предмета
в коробке производит
впечатление на заказчика

Мобильность

Решение может быть
размещено где угодно
для Вашего удобства

Экономичность

Сокращает потребность
в площади для складирования



Максимальное сочетание гибкости и простоты использования

Решение Geami WrapPak M идеально подходит для компаний с небольшим объемом операций. Geami WrapPak M не требует подключения к электричеству, является мобильным и может быть размещено в любом месте.

Например, для e-commerce, где важно произвести впечатление на клиента в процессе распаковки товара, решение Geami WrapPak M поможет достичь этой цели.

Технические характеристики системы



Конвертер

Размеры	66x49x31.5 см
Вес:	15 кг
Эл.питание:	не требуется
Метод резки:	отрывание вручную



Штампованная бумага

Плотность:	80 г/м ²
Цвет:	бурый или белый
Длина рулона:	250 м
Ширина бумаги:	50.8 см (20")



Прокладочная бумага

Плотность:	22 г/м ²
Цвет:	белый (стандартный) также доступна цветная бумага
Длина рулона:	840 м
Ширина рулона:	30.5 см (12")

Оберните Ваши продукты для идеальной презентации клиенту

Geami WrapPak - это комбинация патентованной штампованной бумаги и мягкой прокладочной бумаги. Конвертер Geami WrapPak M придает штампованной бумаге трехмерную сотовую структуру, превращая ее в уникальный оберточный материал. Многоугольные ячейки сцепляются между собой, позволяя плотно завернуть предмет без помощи клейкой ленты. Конвертер можно установить на любой станции по упаковке за счет того, что не требуется подключение к электричеству.



Успешно применяется в следующих отраслях

Косметика	Электроника	Продукты в стекле	Посуда
Домашний декор	Посуда	Фармацевтика	Кухонная утварь

Официальный дистрибьютор в России

Gofrotrade LLC

115280, Россия, Москва
БЦ «Симонов Плаза»
ул. Ленинская Слобода
д. 26, стр.5, офис 2304

T +7 (495) 969 53 15
E info@rprussia.com
www.rprussia.com